



Ploščato jeklo



Flachstahl

Flat bars

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
10x 3	0,24	●			●
4	0,31	●		●	●
5	0,39	●		●	●
6	0,47	●			●
12x 3	0,28	●		●	●
4	0,38	●		●	●
5	0,47	●			
6	0,57	●		●	●
8	0,75	●		●	●
10	0,94	●			
15x 3	0,36	●		●	●
4	0,47	●		●	●
5	0,59	●		●	●
6	0,71	●		●	●
8	0,94	●		●	●
10	1,18	●		●	●
20x 2	0,32	●			
3	0,47	●	●	●	●
4	0,63	●	●	●	●
5	0,79	●	●	●	●
6	0,94	●	●	●	●
8	1,26	●	●	●	●
10	1,57	●	●	●	●
12	1,88	●		●	●
15	2,36	●		●	●
25x 3	0,59	●	●	●	●
4	0,79	●	●	●	●
5	0,89	●	●	●	●
6	1,18	●	●	●	●
8	1,57	●	●	●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
25x 10	1,96	●	●	●	●
	12	2,36	●	●	●
	15	2,94	●	●	●
	20	3,93	●	●	●
30x 2	0,47	●			
	3	0,71	●	●	●
	4	0,94	●	●	●
	5	1,18	●	●	●
	6	1,41	●	●	●
	8	1,88	●	●	●
	10	2,36	●	●	●
	12	2,83	●	●	●
	15	3,53	●	●	●
	20	4,71	●	●	●
	25	5,89	●	●	●
35x 3	0,82	●		●	●
	4	1,10	●	●	●
	5	1,37	●	●	●
	6	1,65	●	●	●
	8	2,20	●	●	●
	10	2,75	●	●	●
	12	3,30	●	●	●
	15	4,12	●	●	●
	20	5,5	●	●	●
	25	6,87	●	●	●
	30	8,24	●	●	●
40x 2	0,63	●			
	3	0,94	●	●	●
	4	1,26	●	●	●
	5	1,57	●	●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzijsa Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
40x 6	1,88	●	●	●	●
8	2,51	●	●	●	●
10	3,14	●	●	●	●
12	3,77	●	●	●	●
15	4,71	●	●	●	●
20	6,28	●	●	●	●
25	7,85	●	●	●	●
30	9,42	●		●	●
35	10,99	●		●	●
45x 3	1,06	●		●	●
4	1,41	●		●	●
5	1,77	●	●	●	●
6	2,12	●	●	●	●
8	2,83	●	●	●	●
10	3,53	●	●	●	●
12	4,24	●		●	●
15	5,3	●		●	●
20	7,07	●		●	●
25	8,83	●		●	●
30	10,6	●		●	●
35	12,36				
40	14,3				●
50x 3	1,18	●	●	●	●
4	1,57	●	●	●	●
5	1,96	●	●	●	●
6	2,36	●	●	●	●
8	3,14	●	●	●	●
10	3,93	●	●	●	●
12	4,71	●	●	●	●
15	5,89	●	●	●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzijsa Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
50x 20	7,85	●	●	●	●
25	9,81	●	●	●	●
30	11,78	●	●	●	●
35	13,74	●		●	●
40	15,70	●	●	●	●
45	17,60				●
55x 5	2,16	●			●
6	2,59	●			●
8	3,45	●		●	●
10	4,32	●		●	●
12	5,18	●		●	●
15	6,48	●		●	●
20	8,64	●		●	●
25	10,79	●		●	●
30	12,95	●		●	●
60x 3	1,41	●	●		●
4	1,88	●	●	●	●
5	2,36	●	●	●	●
6	2,83	●	●	●	●
8	3,77	●	●	●	●
10	4,71	●	●	●	●
12	5,65	●	●	●	●
15	7,07	●	●	●	●
20	9,42	●	●	●	●
25	11,78	●	●	●	●
30	14,13	●	●	●	●
35	16,49	●	●	●	●
40	18,84	●	●	●	●
45	21,20	●		●	●
50	23,56	●	●	●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzijsa Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
65x 5	2,55	●		●	●
6	3,06	●		●	●
8	4,08	●		●	●
10	5,10	●		●	●
12	6,12	●		●	●
15	7,65	●		●	●
20	10,21	●		●	●
25	12,76	●		●	●
30	15,31	●			●
35	17,8	●			●
40	20,41	●			●
70x 3	1,68	●	●		
4	2,20	●	●		●
5	2,75	●	●		●
6	3,30	●	●		●
8	4,40	●	●	●	●
10	5,50	●	●	●	●
12	6,60	●	●	●	●
15	8,24	●	●	●	●
20	10,99	●	●	●	●
25	13,74	●		●	●
30	16,49	●		●	●
35	19,23	●	●	●	●
40	21,98	●		●	●
45	24,73	●		●	●
50	27,78	●		●	●
60	32,97	●		●	●
75x 5	2,94	●		●	●
6	3,53	●		●	●
8	4,71	●		●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
75x 10	5,89	●		●	●
12	7,07	●		●	●
15	8,83	●		●	●
20	11,78	●		●	●
25	14,72	●		●	●
30	17,66	●			●
35	20,61		●		●
80x 4	2,51	●	●		●
5	3,14	●	●	●	●
6	3,77	●	●	●	●
8	5,02	●	●	●	●
10	6,28	●	●	●	●
12	7,54	●	●	●	●
15	9,42	●	●	●	●
20	12,56	●	●	●	●
25	15,70	●		●	●
30	18,84	●	●	●	●
35	21,98	●	●	●	●
40	25,12	●	●	●	●
45	28,26	●		●	●
50	31,40	●	●	●	●
60	37,68	●	●	●	●
90x 3	2,16	●	●		
5	3,53	●	●	●	●
6	4,24	●	●	●	●
8	5,65	●	●	●	●
10	7,07	●	●	●	●
12	8,48	●	●	●	●
15	10,6	●	●	●	●
20	14,13	●	●	●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
90x 25	17,66	●		●	●
30	21,2	●		●	●
35	24,73	●		●	●
40	28,26	●		●	●
45	31,79	●		●	●
50	35,32	●		●	●
60	42,39	●		●	●
70	49,46			●	●
100x 3	2,34	●	●		
4	3,12	●	●		●
5	3,93	●	●	●	●
6	4,71	●	●	●	●
8	6,28	●	●	●	●
10	7,85	●	●	●	●
12	9,42	●	●	●	●
15	11,77	●	●	●	●
20	15,70	●	●	●	●
25	19,63	●		●	●
30	23,55	●	●	●	●
35	27,48	●		●	●
40	31,40	●	●	●	●
45	35,33	●		●	●
50	39,26	●		●	●
60	47,10	●		●	●
70	54,95	●		●	●
110x 5	4,32	●		●	●
6	5,18	●		●	●
8	6,91	●		●	●
10	8,64	●		●	●
12	10,36	●		●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
110x 15	12,95	●		●	●
20	17,27	●		●	●
25	22,04	●		●	●
30	25,91	●		●	●
40	34,63		●		
120x 4	3,84	●			
5	4,71	●		●	●
6	5,65	●		●	●
8	7,45	●	●	●	●
10	9,42	●	●	●	●
12	11,30	●	●	●	●
15	14,13	●	●	●	●
20	18,84	●	●	●	●
25	23,55	●		●	●
30	28,26	●	●	●	●
40	37,68	●		●	●
50	47,12	●		●	●
60	56,52	●		●	●
70	65,94			●	●
125x 10	9,78	●			
130x 5	5,10			●	
6	6,12	●		●	●
8	8,16	●		●	●
10	10,21	●		●	
12	12,25	●		●	●
15	15,31	●		●	●
20	20,41	●		●	●
25	25,51			●	●
30	30,62	●		●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
130x 40	40,82			●	●
50	51,15				●
60	61,23			●	●
70	71,44			●	●
140x 5	5,60	●			
6	6,59	●		●	●
8	8,79	●		●	●
10	10,99	●		●	●
12	13,19	●		●	●
15	16,49	●		●	●
20	21,98	●		●	●
25	27,48	●		●	
30	32,97			●	●
40	43,96			●	●
50	54,95			●	●
60	65,94				●
150x 5	5,85	●			●
6	7,07	●		●	●
8	9,42	●	●	●	●
10	11,77	●	●	●	●
12	14,13	●		●	●
15	17,66	●			●
20	23,55	●		●	●
25	29,44	●		●	●
30	35,33	●		●	●
40	47,10	●		●	●
50	58,88	●			●
160x 5	6,40	●			
6	7,68	●			
8	10,24	●		●	●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
160x 10	12,80	●		●	●
	12	15,36	●	●	●
	15	19,20	●	●	●
	20	25,60	●		
	25	31,40	●		
	30	37,68	●		
	40	50,24	●		
180x 6	8,64	●			
	8	11,52	●	●	●
	10	14,40	●	●	●
	12	17,28	●	●	●
	15	21,60	●	●	●
	20	28,80	●		
	25	35,36	●		
	30	42,39	●		
	40	56,52	●		
200x 5	8,00	●			●
	6	9,60	●		●
	8	12,80	●	●	●
	10	16,00	●	●	●
	12	19,20	●	●	●
	15	24,00	●	●	●
	20	28,80	●		
	30	47,10	●		
	40	62,80	●		
	15	30,00	●		●
	20	40,00	●		●
300x 6	14,40	●			●
	8	19,20	●		●
	10	24,00	●		●

TOPLITNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzijsa Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm	kg/m				
300x 12	28,80	●			●
	15	36,00	●		●
	20	48,00			●
350x 6	16,80	●			●
	8	22,40	●		●
	10	28,00	●		●
	12	33,60	●		●
	15	42,00	●		●
400x 6	19,20	●			●
	8	25,60	●		●
	10	32,00	●		●
	12	38,40	●		●
	15	48,00	●		●
450x 6	21,60	●			●
	8	28,80	●		●
	10	36,00	●		●
	12	43,20	●		●
500x 6	24,00	●			●
	8	32,00	●		●
	10	40,00	●		●
	12	48,00	●		●

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED

Dimenzija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm	kg/m			
8x 4	0,25	●		
10x 3	0,25	●		●
4	0,31	●		●
5	0,39	●	●	●
6	0,47	●		
8	0,63	●		
12x 3	0,28	●		●
4	0,38	●		
5	0,47	●		
6	0,57	●		
8	0,75	●		
15x 3	0,35	●		●
4	0,47	●		●
5	0,59	●		●
6	0,70	●		●
8	0,94	●		●
10	1,17	●		●
12	1,41	●		
16x 6	0,75	●		
20x 3	0,47	●		●
4	0,62	●		●
5	0,79	●	●	●
6	0,94	●	●	●
8	1,26	●	●	●
10	1,57	●	●	●
12	1,88	●	●	●
15	2,36	●	●	●
25x 3	0,59	●		●
4	0,78	●		●

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED

Dimenzija Abmessung <u>Dimension</u>	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm	kg/m			
25x				
5	0,98	●		●
6	1,17	●		●
8	1,57	●	●	●
10	1,96	●	●	●
12	2,36	●		●
15	2,94	●		●
20	3,93	●		●
30x				
3	0,70	●		●
4	0,94	●		●
5	1,18	●	●	●
6	1,41	●	●	●
8	1,88	●	●	●
10	2,36	●	●	●
12	2,83	●	●	●
15	3,53	●	●	●
20	4,71	●	●	●
25	5,89	●		●
35x				
4	1,10	●		
5	1,37	●		
6	1,65	●		
8	2,20	●		
10	2,75	●		
12	3,30	●		
15	4,10	●		
20	5,50	●		
25	6,87	●		
40x				
3	0,94	●		
4	1,26	●		●
5	1,57	●	●	●
6	1,88	●	●	●

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED

Dimenija Abmessung <u>Dimension</u>	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm	kg/m			
40x 8	2,51	●	●	●
10	3,14	●	●	●
12	3,77	●	●	●
15	4,71	●	●	●
20	6,28	●	●	●
25	7,85	●		●
30	9,42	●		●
45x 5	1,76	●		
6	2,12	●		
8	2,82	●		
10	3,53	●		
12	4,24	●		
15	5,3	●		
50x 3	1,17	●		
4	1,57	●		
5	1,96	●		●
6	2,36	●		●
8	3,14	●	●	●
10	3,93	●	●	●
12	4,71	●	●	●
15	5,89	●	●	●
20	7,85	●	●	●
25	9,81	●		
30	11,78	●		
35	13,74	●		
40	15,70	●		
60x 4	1,87	●		
5	2,36	●		●
6	2,83	●		●
8	3,77	●	●	●

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED

Dimenzijsa Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm	kg/m			
60x 10	4,71	●	●	●
12	5,65	●	●	●
15	7,07	●	●	●
20	9,42	●	●	●
25	11,78	●		
30	14,13	●		
35	16,49	●		
40	18,72	●		
70x 5	2,75	●		
6	3,30	●		
8	4,40	●		
10	5,50	●		●
12	6,60	●		
20	10,99	●		
25	13,74	●		
80x 4	2,50	●		
5	3,14	●		
6	3,77	●		●
8	5,02	●		●
10	6,28	●	●	●
12	7,54	●	●	●
15	9,42	●	●	
20	12,56	●	●	
25	15,7	●		
30	18,72	●		
90x 6	4,24	●		
8	5,65	●		
10	7,07	●		
12	8,48	●		
15	10,6	●		

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED

Dimenija Abmessung Dimension	Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm	kg/m			
90x 20	14,08	●		
	25	17,60	●	
100x 5	3,93	●		
	6	4,71	●	●
	8	6,28	●	●
	10	7,85	●	●
	12	9,42	●	●
	15	11,78	●	
	20	15,70	●	●
	25	19,55	●	
	30	23,46	●	
110x 8	6,88	●		
	10	8,60	●	
120 x 8	7,51	●		●
	10	9,38	●	
	15	14,08	●	
	20	18,77	●	
140 x 8	8,76	●		
	10	10,95	●	
150 x 8	9,38	●		
	10	11,73	●	
	15	17,60	●	
160 x 10	12,51	●		
180 x 10	14,08	●		
200 x 10	15,64	●		
	15	8,24	●	